Material Safety Data Sheet

Grout Attack

Product and company identification

Ridley Vacuum & Janitorial Supply

 Product name
 Grout Attack
 In case of emergency
 1-800-843-6174

 Code
 299RR
 Validation date
 8/19/2011.

 Material uses
 Acid Cleaner
 Print date
 8/19/2011.

3700 Reveille Houston, TX 77087 713-649-4121

Supplier

Hazardous Material Information System (U.S.A.)

		- /
Health	3 HAZ	<u>ARD</u> ING
Flammability	0 4 = E 3 = F	Extreme High
Physical hazards	1 = \$	Moderate Slight
Personal protection	B 0=1	0 = Insignificant

A = Goggles B = Goggles & Gloves C = Goggles, Gloves & Apron

2. Hazards identification

Emergency overview CAUTION!

MAY BE HARMFUL IF SWALLOWED. CORROSIVE TO EYES AND SKIN.

May be harmful if swallowed. Do not ingest. Avoid breathing vapor or mist. Avoid contact with eyes, skin and

Responsible name

Regulatory Affairs Department

clothing. Wash thoroughly after handling.

Potential acute health effects due to overexposure

Inhalation May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.

Ingestion Harmful if swallowed. May cause burns to mouth, throat and stomach.

Skin Corrosive to the skin. May cause severe burns.

Eyes Corrosive to eyes. May cause severe burns.

Potential chronic health effects due to overexposure

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

See toxicological information (section 8)

3. Composition/information on ingredients

 Name
 CAS number
 %

 Phosphoric acid
 7664-38-2
 10 - 30

 ethoxylated nonylphenol
 9016-45-9
 1 - 5

4. First aid measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes,

occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get

medical attention immediately.

Inhalation Move exposed person to fresh air. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical

attention immediately.

Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention immediately.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are

still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician
No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

5. Fire-fighting measures

Flammability of the product In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Special exposure hazards Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action

shall be taken involving any personal risk or without suitable training.

Hazardous thermal decomposition Decomposition products may include the following materials:

products carbon dioxide

carbon monoxide phosphorus oxides

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Flash point Closed cup: Not applicable

6. Control and preventive measures

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Ingredient	Exposure limits		
Phosphoric acid	OSHA PEL (United States, 6/2010).		
	TWA: 1 mg/m³ 8 hour(s).		
	ACGIH TLV (United States, 2/2010).		
	TWA: 1 mg/m³ 8 hour(s).		
	STEL: 3 mg/m³ 15 minute(s).		
	OSHA PEL 1989 (United States, 3/1989).		
	TWA: 1 mg/m³ 8 hour(s).		
	STEL: 3 mg/m³ 15 minute(s).		
	NIOSH REL (United States, 6/2009).		
	TWA: 1 mg/m³ 10 hour(s).		
	STEL: 3 mg/m³ 15 minute(s).		

Personal protection

Respiratory None required. However, use of adequate ventilation is good industrial practice.

Hands Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when

handling chemical products if a risk assessment indicates this is necessary.

Skin Personal protective equipment for the body should be selected based on the task being performed and the

risks involved and should be approved by a specialist before handling this product.

Eyes Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is

necessary to avoid exposure to liquid splashes, mists or dusts.

Methods for cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal

container. Dispose of via a licensed waste disposal contractor.

Waste disposal Disposal of this product, solutions and any by-products should at all times comply with the requirements of

environmental protection and waste disposal legislation and any regional local authority requirements.

7. Physical and chemical properties

Physical stateLiquidBoiling/condensation point100°C (212°F)ColorColorlessMelting/freezing point0°C (32°F)

Odor Wildberry Vapor pressure <4 kPa (<30 mm Hg)

 Vapor density
 <1 [Air = 1]</th>

 pH
 1.5 to 2.1
 Weight per Gallon:
 9.14 lbs./gal.

 1% pH:
 2.4
 Specific Gravity:
 1.10 gm/ml

8. Toxicological information

Acute toxicity

Product/ingredient nameResultSpeciesDoseExposurePhosphoric acidLD50 OralRat1.25 g/kg-

Conclusion/Summary Not available

Chronic toxicity

Conclusion/Summary Not available

9. Transport information							
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information	
DOT Classification	UN1760	Corrosive liquids, n.o.s. (Phosphoric acid)	8	III	CORROSAVE	** If inner packagings are <1.3 gallons net capacitty each, reclassify as ORM-D	

PG* : Packing group